

Indicative seal type one-piece ring and easy to use.



Adapted to TIR cable stockings

No special tools are required for installation or opening.

Includes break point for easy opening.

Ring-type indicating seal

Colours



- ✓ Ideal for transport of merchandise by road and storage, rail transport, maritime transport and postal services. Also indicated for the logistics sector, chemical industry. As well as for State Official Organizations.
- ✓ Marking by heatstamping, digital thermo and laser. Possibility to mark logo, bar code, consecutive numbering.
- ✓ Typical applications include closing of truck doors adapted to TIR cables, for courier messaging couriers, cleaning and disinfection centers, tankers, TIR transport and customs.
- ✓ The laser marking system offers a very high level of security. It can not be erased.
- ✓ Item available in stock.



Measures

Witty – Lok
Useful marking area
20*60mm

Features

Material: polypropylene
Strip of 290mm
Strength
Room temperature: 21Kg
Other colours to consult

Packaging

1.000 units
Box: 520*240*160mm
Gross weight: 4,35Kg
Net weight: 4,3Kg

Quantity

Stock:
1.000 units
Customized
3.000 units

PRECINTIA INTERNATIONAL,S.A. C/ Vic,26 -08120 La Llagosta, Barcelona (Spain)
T +3493 544 64 50 marketing@precintia.com

Applications

- ✓ Seals for TIR transport
- ✓ Seals for maritime transport.
- ✓ Seals for truck doors
- ✓ Seals for Courier mail
- ✓ Seals for containers.
- ✓ Seals for cleaning and disinfection centres.
- ✓ Seals for tank trucks.
- ✓ Seals for trucks
- ✓ Seals for TIR cables.
- ✓ Seals for Customs.

Ring-type indicating seal




PRECINTIA INTERNATIONAL,S.A. C/ Vic,26 -08120 La Llagosta, Barcelona (Spain)

T +3493 544 64 50 marketing@precintia.com

WITTY-LOK CLOSING INSTRUCTIONS

1 - CLOSING THE SEAL: HOLD THE SEAL AT THE END OF THE TAIL (ON THE GRIP AREA).

CLOSE UN BUCKLE THE SEAL WITHOUT TWISTING IT.



2 - INTRODUCE THE HARROW SHAPE OF THE END OF THE TAIL INTO THE SECURITY CHAMBER. TAIL AND SECURITY CHAMBER MUST BE PERPENDICULAR.

THE SEAL IS CLOSED WHEN YOU HEAR THE "CLICK".



3 - OPENING THE SEAL: AT EACH END OF THE TAIL THE SEAL IS PROVIDED WITH A BREAKING POINT. TO BREAK THE SEAL, JUST TWIST THE SEAL FROM ONE OF ITS ENDS.

